

FORM PTO-1390 (REV 11-2000)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER 450101-02788	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				U.S. APPLICATION NO. (If known see 37 C.F.R. 1.5) 09/868002	
INTERNATIONAL APPLICATION NO. PCT/JP00/07159		INTERNATIONAL FILING DATE 16 OCTOBER 2000		PRIORITY DATE CLAIMED 15 OCTOBER 1999	
TITLE OF INVENTION INFORMATION PROCESSING APPARATUS, INFORMATION PROCESSING METHOD AND RECORDING MEDIUM					
APPLICANT(S) FOR DO/EO/US Ikuo NAKAMURA					

Applicants herewith submit to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

- ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
- ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
- ☒ This is an express request to promptly begin national examination procedures (35 U.S.C. 371(f)).
- ☐ The US has been elected by the expiration of 19 months from the priority date (PCT Article 31).
- ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
 - ☐ is attached hereto (required only if not communicated by the International Bureau).
 - ☒ has been communicated by the International Bureau.
 - ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
- ☒ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
- ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
 - ☐ are attached hereto (required only if not communicated by the International Bureau).
 - ☒ have been communicated by the International Bureau.
 - ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - ☐ have not been made and will not be made.
- ☐ A English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
- ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
- ☐ An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11 to 20 below concern document(s) or information included:

- ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
- ☒ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
- ☒ A **FIRST** preliminary amendment.
- ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
- ☐ A substitute specification.
- ☐ A change of power of attorney and/or address letter.
- ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
- ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
- ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
- ☒ Other items or information:
 PCT/RO/101, PCT/ISA/210
 PCT/IB/301, 304, 308
 9 Sheets of Drawings, 1 Page Abstract



EXPRESS MAIL

Mailing Label Number: **EL742692567US**

Date of Deposit: **June 13, 2001**

I hereby certify that this paper or fee is being deposited with the United States Postal Service

"Express Mail Post Office to Addressee" Service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents and Trademarks, Box PCT Washington, DC 20231


 (Typed or printed name of person mailing paper or fee)

 (Signature of person mailing paper or fee)

U.S. APPLICATION NO. 09/868002		INTERNATIONAL APPLICATION NO. PCT/IP00/07159		ATTORNEY'S DOCKET NO. 450101-02788	
---------------------------------------	--	---	--	---------------------------------------	--

21. <input checked="" type="checkbox"/> The following fees are submitted				CALCULATIONS PTO USE ONLY	
BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(5): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1000.00 International preliminary examination fee (37 C.F.R. 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$860.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$710.00 International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$690.00 International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00					
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$ 860.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$	
Total Claims	11 - 20 =	0	x \$18.00	\$ 0.00	
Independent Claims	3 - 3 =	0	x \$80.00	\$ 0.00	
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$270.00	\$	
TOTAL OF ABOVE CALCULATIONS =				\$	
<input type="checkbox"/> Applicant claims small entity status. See 37 C.F.R. 1.27. The fees indicated above are reduced by 1/2.				+ \$	
SUBTOTAL =				\$	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$	
TOTAL NATIONAL FEE =				\$ 860.00	
Fee for recording the enclosed assignments (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property				+ \$ 40.00	
TOTAL FEES ENCLOSED =				\$ 900.00	
				Amount to be refunded:	\$
				Charged:	\$

a. ☒ Two checks in the amount of **\$ 900.00** to cover the above fees are enclosed.

b. ☐ Please charge my Deposit Account No. _____ in the amount of \$ _____ to cover the above fees.
A duplicate copy of this sheet is enclosed.

c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any
overpayment to Deposit Account No. **50-0320**. A duplicate copy of this sheet is enclosed.


d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit
card information should not be included on this form.** Provide credit card information and authorization
on PTO-2038.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR
1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

**WILLIAM S. FROMMER, ESQ.
FROMMER LAWRENCE & HAUG LLP
745 FIFTH AVENUE
NEW YORK, NEW YORK 10151**

Dated: June 13, 2001


 SIGNATURE
 WILLIAM S. FROMMER
 NAME
 25,506
 REGISTRATION NUMBER

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Ikuo NAKAMURA
Filed.: Filed Concurrently Herewith
Title of Invention: INFORMATION PROCESSING APPARATUS,
INFORMATION PROCESSING METHOD AND
RECORDING MEDIUM

745 Fifth Avenue
New York, NY 10151

EXPRESS MAIL

Mailing Label Number: EL742692567US

Date of Deposit: June 13, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Service under 37 CFR 1.10 on the date indicated above and is addressed to the Honorable Commissioner of Patents and Trademarks, Washington, DC 20231.

Charles Jackson
(Typed or printed name of person mailing paper or fee)

Charles Jackson
(Signature of person mailing paper or fee)

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Box PCT
Washington, D.C. 20231

Sir:

Before the issuance of the first Office Action, please amend the above-identified application as follows:

IN THE CLAIMS:

Please cancel claims 1-11 and add the following new claims 12-22:

12. An information processing apparatus for carrying out transmission and reception of information with electronic equipment through network, the information processing apparatus comprising:

acquisition means for carrying out acquisition of control information necessary for carrying out control of the electronic equipment from the electronic equipment;

detecting means for detecting identification data recorded on a recording medium mounted on the electronic equipment on the basis of the control information acquired by the acquisition means;

input means for inputting related information relating to the recording medium;

memory means for storing the related information inputted by the input means in correspondence with the identification data;

comparing means for comparing the identification data recorded on the recording medium with the related information inputted by the input means; and

display means for carrying out display of the related information stored in the memory means.

13. The information processing apparatus as set forth in claim 12, wherein the acquisition of the control information is carried out when the electronic equipment is connected to the network.

14. The information processing apparatus as set forth in claim 12, wherein the network is constituted by IEEE 1394 bus.

15. The information processing apparatus as set forth in claim 12, wherein the detecting means detects the identification data through the network.

16. The information processing apparatus as set forth in claim 12, wherein the identification data is TOC data.

17. An information processing method for carrying out transmission and reception of information with an electronic equipment through network, the information processing method comprising the steps of:

carrying out acquisition of control information necessary for carrying out control of the electronic equipment from the electronic equipment;

detecting identification data recorded on a recording medium mounted on the electronic equipment on the basis of the control information acquired by the acquisition step;

inputting related information relating to the recording medium;

storing the related information inputted by the input step in correspondence with the identification data;

comparing the identification data recorded on the recording medium and the related information inputted by the input step; and

carrying out display of the stored related information.

18. The information processing method as set forth in claim 17, further comprising a step of comparing the identification data recorded on the recording medium with the inputted related information.

19. The information processing method as set forth in claim 17, wherein the recording medium is a reproduction only recording medium.


20. The information processing method as set forth in claim 17, wherein detection of identification data recorded on the recording medium is carried out through the network.

REMARKS

Claims 1-11 have been cancelled, and claims 12-22 have been added to reflect the amendments to the claims of the International Application made under Article 19. The filing fee has been calculated based upon these amendments to the claims.

Respectfully submitted,

FROMMER LAWRENCE & HAUG LLP
Attorneys for Applicant

By: 
William S. Frommer
Reg. No. 25,506
Tel. (212) 588-0800

DESCRIPTION

Information Processing Apparatus, Information Processing Method and Recording Medium

Technical Field

This invention relates to an information processing apparatus and an information processing method adapted for detecting identification data of recording medium to store related information relating to the recording medium in correspondence with the detected identification data and to display such information on display unit, and a recording medium used in such apparatus and method.

Background Art

In the home network system such as IEEE (The Institute of Electrical and Electronics Engineers) 1394 serial bus, etc., plural electronic equipments, e.g., IRD (Integrated Receiver Decoder) and/or CD (Compact Disc) player, etc. are connected to carry out transmission/reception of information between respective electronic equipments, thus making it possible to execute reproduction or recording of information. At the IEEE 1394 serial bus, electronic equipment of the control side provides AV/C (Audio Video/Control) command with respect to electronic equipment of the side to be controlled so that the control of the electronic equipment of the side to be controlled is carried out.

09/868002-051394

Meanwhile, in the conventional home network system, user could not add, e.g., user information which are arbitrary additional information such as a peculiar title or the name of music to an unrecordable reproduction only recording medium such as CD, etc. to carry out the management of CD on the basis of the above-mentioned information.

Disclosure of the Invention

An object of this invention is to provide a novel information processing apparatus and a novel information processing method which can solve the problems that the conventional home network systems have, and a recording medium used in such apparatus and method.

In more practical sense, an object of this invention is to provide an information processing apparatus and an information processing method adapted for storing related information in correspondence with identification data of recording medium, thereby making it possible to carry out management on the basis of user information that user has added even in the case where reproduction only recording medium is employed, and a recording medium used in such apparatus and method.

The information processing apparatus according to this invention proposed in order to attain such object comprises: a detecting section for detecting identification data recorded on a recording medium; input means for inputting related information relating to the recording medium; a memory section for storing the related information

The information processing apparatus further comprises a comparing section for comparing the identification data recorded on the recording medium and related information inputted by the input means. The comparing section controls display of related information stored in the memory section in accordance with the result of comparison between the identification data and the related information.

The detecting section for detecting identification data recorded with respect to the recording medium is constituted so that detection of identification data is carried out through network.

Further, the information processing method according to this invention includes:
a detection step of detecting identification data recorded on a recording medium; an
input step of inputting related information relating to the recording medium; a memory
control step of conducting a control so as to store related information inputted by
processing of the input step in correspondence with the identification data; and a
display control step of controlling display of related information stored by processing

of the memory control step.

Further, this method may include a step of comparing identification data recorded on the recording medium and related information inputted by the input means.

On the recording medium used in the above-described information processing apparatus and information processing method, there is recorded a program including: a detection step of detecting identification data recorded on the recording medium; an input step of inputting related information relating to the recording medium; a memory control step of conducting a control so as to store related information inputted by processing of the input step in correspondence with the identification data; and a display control step of controlling display of related information stored by processing of the memory control step.

In this invention, the identification data recorded on the recording medium is detected and related information relating to the recording medium is inputted. The inputted related information is stored in correspondence with the identification data.

Still further objects of this invention and more practical effects achieved by this invention will become more apparent from the description of the embodiment which will be given below.

Brief Description of the Drawings

FIG. 1 is a block diagram showing the configuration of the network system

according to the present invention.

FIG. 2 is a block diagram showing an example of the configuration of IRD constituting the network system shown in FIG. 1.

FIG. 3 is a block diagram showing an example of the configuration of CD player constituting the network system shown in FIG. 1.

FIG. 4 is a view for explaining a software stack stored on hard disc shown in FIG. 2.

FIG. 5 is a view for explaining install operation of DCM and FCM.

FIG. 6 is a flowchart for explaining related information input processing.

FIG. 7 is a view for explaining GUI displayed on LCD.

FIG. 8 is a view for explaining GUI displayed when pull-down key shown in FIG. 7 is operated.

FIG. 9 is a flowchart showing input operation procedure of title.

FIG. 10 is a view for explaining GUI displayed when an icon for selecting editing picture shown in FIG. 7 is operated.

FIG. 11 is a flowchart for explaining another example of the related information input processing.

FIG. 12 is a flowchart for explaining reproduction processing of a predetermined recording track of CD.

Best Mode for Carrying Out the Invention

from the CD player 3 is inputted to a CPU (Central Processing Unit) 23 through the IEEE 1394 serial bus 1, an IEEE 1394 interface 21 and an internal bus 22. Further, when the touch panel 28 is operated by user, a command corresponding to that operation is inputted to the CPU 23 through an input/output interface 27 and the internal bus 22. In this example, the touch panel 28 can be operated in accordance with message displayed on the LCD 29.

It is to be noted that while the touch panel 28 is used for the purpose of inputting operation command in this embodiment, means for attaining this operation is not limited to the touch panel 28, but operation keys and/or a keyboard on which a large number of operation keys are arranged, etc. may be used.

The CPU 23 functions as a control unit for controlling the entirety of the IRD 2. This CPU 23 reads out program stored in a ROM 24 in accordance with the inputted signal, executes the program, and output its processing result to the LCD 29 through the input/output interface 27 as occasion demands to allow the LCD 29 to display the processing result. The CPU 23 further generates character/picture data indicating such a message to assist operation of user and outputs such data to the LCD 29 through the internal bus 22 and the input/output interface 27 to allow the LCD 29 to display it, or generates a control signal for controlling the CD player 3 to transmit the control signal to the CD player 3 through the internal bus 22, the IEEE 1394 interface 21 and the IEEE 1394 serial bus 1. A RAM 25 temporarily stores data generated by execution of program of the CPU 23 and/or data required for allowing

the CD player 3 to execute processing.

An antenna 11 receives, e.g., signal of satellite broadcast wave and delivers the received signal to a tuner 26 of the IRD 2. The tuner 26 receives a signal of broadcast channel instructed from the CPU 23 among the received signals of satellite broadcast waves received by the antenna 11. On a hard disc (HD) 30, various applications or middle-wares, etc. that the CPU 23 executes are stored. At a drive 31, there can be mounted a magnetic disc 41, an optical disc 42, a magneto-optical disc 43, or a semiconductor memory 44, etc.

The CD player 3 connected to the IEEE 1394 serial bus 1 and controlled by the IRD 2 has a configuration as shown in FIG. 3.

A signal transmitted from the IRD 2 is inputted to a CPU 53 through the IEEE 1394 serial bus 1, an IEEE 1394 interface 51 and an internal bus 52. Further, when user operates the CD player 3 by using touch panel 58, a signal corresponding to the operation by user is inputted to the CPU 53 through an input/output interface 57 and the internal bus 52.

It is to be noted that operation means used for operating the CD player 3 is not limited to the touch panel 58, but operation keys, etc. may be used.

The CPU 53 provided at the CD player 3 reads out program stored in a ROM 54 on the basis of inputted signal, executes the program, and outputs, e.g., a control signal through the internal bus 52 to a reproduction processing section 56, or transmits its own DCM and FCM stored in the ROM 54 to the IRD 2 through the internal bus



52, the IEEE 1394 interface 51 and the IEEE 1394 serial bus 1. A RAM 55 temporarily stores data generated by the execution of program by the CPU 53 and/or data required for allowing the CD player 3 to execute the processing.

The reproduction processing section 56 of the CD player 3 reads data, e.g., musical data recorded on loaded media (not shown), CD in this example on the basis of control signal inputted from the CPU 53, and transmits such data to the IRD 2 through the internal bus 52, the IEEE 1394 interface 51 and the IEEE 1394 serial bus 1, or outputs data which has been read to a loudspeaker included therewithin to reproduce it. The reproduction processing section 56 further detects TOC (Table Of Contents) data from the reproduction data and outputs it to a LCD 59 through the internal bus 52 and the input/output interface 57 to allow the LCD 59 to display its content as visible information. In this example, as the TOC data displayed on the LCD 59 as a display unit, there are total number of recording tracks formed on CD and total data quantity of the recording tracks, etc. In this case, the total data quantity is displayed by time.

In this embodiment, in order that equipments on the network as shown in FIG. 1 operate in cooperation with each other, middle-ware for control and management of network is required. In this case, the middle-ware is a software positioned between low order software such as OS, network control program or data base system, etc. and high order application and serving to provide various services with respect to the application. Further, in order that the network normally operates so that mutual use

of equipments is carried out even in the case where equipment of different maker is connected to the network, a common specification to which the middleware should conform to is indispensable. Here, explanation will be given in connection with the network in the case where HAVi (Home Audio/Video Interoperability Architecture) (Trade Name) is applied as the middleware for control and management of network.

FIG. 4 shows an example of the software stack stored on the hard disc 30 provided at the IRD 2 shown in FIG. 2. In FIG. 4, modules shown at upper side are caused to be layer of higher order with respect to modules shown at lower side. The portions except for 1394 driver, Application and Attributes List are software modules corresponding to HAVi.

The 1394 driver is a module in which the portion dependent upon the IEEE 1394 serial bus 1 is described, and is a software for providing common procedure for device access with the high order software. The CMM (Communication Media Manager) 1394 serves as an interface between the IEEE 1394 serial bus 1 and respective software modules and the applications of the HAVi. The CMM 1394 provides transmission mechanism for carrying out transmission/reception of signals among equipments connected to the IEEE 1394 serial bus 1, and grasps the operating state of the IEEE 1394 serial bus 1 to offer its information to other software modules.

A messaging System serves as API (Application Programming Interface) for allowing software modules of respective equipments on the network to communicate with each other, and performs a role to carry out transmission of message among

A DCM Manager serves to install DCM and AVDISCFCM which will be described later with respect to respective equipments on the network. In the network employing HAVi, DCM Manager installs DCM and AVDISCFCM in newly connected equipment when new equipment is connected to the network, and uninstalls DCM and AVDISCFCM from disconnected equipments when equipment is disconnected from the network.

A registry serves to hold or update information relating to equipment, e.g., which equipment is connected on the network or which function corresponding equipment has, etc., and permits interaction among different equipments. Application program obtains necessary information from this registry. In addition, respective equipments on the network can confirm location of basic software modules of other equipments on the network by making reference to the registry.

A Stream Manager serves to carry out monitoring and management of stream

data such as video or audio data, i.e., a flow of continuous data on the network, thus to permit real time transmission of the stream data. Further, the Stream Manager carries out management of connection within the equipment and among equipments, carries out the insurance or release of network resource and provides of the connection information of the entirety of network. In addition, the Stream Manager can also support re-connection after bus reset of the network.

A Resource Manager processes a collision problem of device use rights, carries out the management of scheduled events such as the processing reserved at connected equipment, etc., or carries out monitoring e.g., the presence or absence of detachment of registered device, etc.

Application serves to detect identification data of data recorded on recording medium such as CD, etc. loaded on equipments such as CD player, etc. connected to the network to execute the judgment processing as to whether or not there is the same identification data in the attributes list. The detail of the attributes list will be described later.

DCM serves to carry out the control of equipments, and is installed from the CD player 3. Application program does not directly control respective equipments connected to the network, but carries out the control of respective equipments through corresponding DCMs. The AVDISCFCM is installed from the CD player 3, and represents contents or functions of controls that the application program executes with respect to respective equipments to transmit AV/C command to the equipments

designated by the DCM. Since the DCM and the AVDISCFCM function as API, there is no necessity that Application program itself takes differences among individual equipments into consideration. Accordingly, in the network employing HAVi, the equipment on the network can recognize the function of other equipment, thus making it possible to operate other equipment from remote places.

Attributes List is constituted as indicated below, for example.

```

Attributes List {
  Unique ID [ ]:
  Attributes Data [ ]
}
Attributes Data {
  Title:
  Title Description:
  Artist:
  Image:
  Track [ ]
  TrackDescription [ ]
}

```

In this attributes list, ID for media recognition is stored at Unique ID [], and Attributes data (related information) relating to media is stored at AttributesData []. Further, a title is stored at Title: in AttributesData, a description of title is stored at

Title Description, an artist is stored at Artist, an image file, etc. are stored at Image, a track title, e.g., music name and time is stored at Track [], and a track description is stored at Track Description [] therein.

Software modules as described above are possessed, in accordance with class of equipment prescribed at HAVi, at respective equipments connected to the network. In the HAVi, classes of the following four kinds of equipments are prescribed.

FAV (Full AV Device) assumes equipment having a function to carry out management of the network, and is provided with all software modules of the above-described HAVi. Additionally, there are instances where FAV does not possess DCM and AVDISCFM, but FAV can be installed from, e.g., BAV which will be described later. FAV can execute Application using JAVA (Trade Name) employed as HAVi byte code. Accordingly, FAV can possess DCM and FCM of other equipment, and possesses DCM and FCM of other equipment, thereby making it possible to place other equipments under control.

IAV (Intermediate AV Device) assumes the equipment having a function to carry out management of network similarly to FAV. However, since IAV has the environment where Application using JAVA employed as HAVi byte code cannot be executed unlike the FAV, it assembles therein DCM, FCM of other equipments in advance.

BAV (Base AV Device) assumes controlled equipment which can be directly connected to the network of HAVi, and possesses the own DCM and FCM. LAV

(Legacy AV Device) has only function as an equipment which can be connected to IEEE 1394 serial bus 1. However, since LAV copes with AV/C command, it operates as the controlled equipment while it operates by itself.

In this invention, explanation will be given on the assumption that IRD 2 is an equipment corresponding to FAV (IEEE 1394 interface 21 is an equipment corresponding to CMM 1394) and CD player 3 is an equipment corresponding to BAV. As shown in FIG. 5, IRD 2 serving as FAV installs DCM and AVDISCFCM of CD player 3 serving as BAV, thereby making it possible to place the CD player 3 under control.

The related information input processing that the IRD 2 executes will now be described.

Initially, the explanation will be given with reference to FIG. 6 in connection with the case where the IRD 2 serving as a controlling equipment selects CD the player 3 as a controlled equipment and selects CD as reproduction only recording medium. In this example, the IRD 2 is activated. Thus, e.g., device select picture is displayed on the LCD 29 serving as the display unit and the selection of CDs is carried out.

Although detailed explanation is omitted, respective software modules of the software stack which have been described with reference to FIG. 4 are read out from the hard disc 30 and sent to the CPU 23 and are executed at the CPU23.

First, in the related information input processing, as shown in FIG. 6, Application makes a request to AVDISCFCM for notification of insertion of CD. At

step S2, in the case where CD is inserted, AVDISCFCM makes a request for notification of event indicating that insertion with respect to event manager. Further, AVDISCFCM acquires state of CD player 3 through the Messaging System and the CMM 1394.

In this case, since CD is selected as device, display picture for operating CD player 3 as user interface (UI) is displayed on the LCD 29 at step S3. As the display form, there is used a display form as shown in FIG. 7.

At step S4, whether or not CD is inserted into the CD player 3 is discriminated. In the case where CD is not inserted into the CD player 3, processing in this case is completed. When it is detected that CD has been inserted into the CD player 3, the application transmits, at step S5, HAVi message of AVDISC: get_TOC to AVDISCFCM to make a request for acquisition of TOC data recorded on the CD. At step S6, the AVDISCFCM makes a request to the CD player 3 for sending of TOC data recorded on the CD. When the CPU 53 provided in the CD player 3 receives request from AVDISCFCM, it controls the reproduction processing section 56 at step S7 to reproduce TOC data recorded on the CD. The CPU 53 reads detected TOC data to transmit it to AVDISCFCM. While the request for TOC data is made in this invention, acquisition request for CD_text data, etc. in which music name of album, etc. is included may be made.

At step S8, AVDISCFCM transmits received TOC data to the application. At step S9, Application compares TOC data received from AVDISCFCM with TOC data

in Attributes data already stored in Attributes List to judge whether or not they coincide with each other, i.e., whether or not there is the TOC data in which total number of tracks and data quantity of respective tracks, e.g., reproduction time are the same. In this case, the TOC data is used for identifying CD. In the case where identification information exists in addition to the above, such identification information may be used.

In the case where it is judged at the step S9 that received TOC data and TOC data in attributes data stored in the Attributes List coincide with each other, the processing procedure proceeds to step S10. Thus, the application reads thereinto Attributes data corresponding to the TOC data which has coincided from the attributes list to allow the LCD 29 to display its content to complete a series of processing. In this case, GUI as shown in FIG. 7 is displayed on the LCD 29.

At this time, the application transmits HAVi message, e.g., defined as below to AVDISCFCM to make a request for acquisition of a title, a title description, an artist, a track title, a track description and an image file stored in attributes data corresponding to TOC data in attributes list. Accordingly, GUI shown in FIG. 7 is displayed on the LCD 29 as the result of the transmission of these messages.

AVDISC: get_Title

AVDISC: get_Title_Description

AVDISC: get_Artist

AVDISC: get_Track

AVDISC: get_Track_Description

AVDISC: get_Image

At display column 61 of FIG. 7, track No. being selected and length of data of that track, e.g., playing time are displayed. In this case, immediately after attributes data are read, the first track No. is selected. In the example shown in FIG. 7, it is displayed that time of the first track is 12 minutes 5 seconds at present. In this example, as time displayed at the display column 61 at the time of reproduction, intermediate time during reproduction is displayed. Moreover, at a display column 68, a title is displayed. At a display column 69, an artist is displayed. Further, at a display column 70, a track title is displayed.

Further, when a pull-down key 71 within GUI shown in FIG. 7 is pressed by the user, a list box 81 is displayed as shown in FIG. 8. The user moves a cursor 82 in upper and lower directions to select other tracks.

When either one of icons 62 to 66 is touched by the user, the application sets AVDISCFCM to either one of operation modes of Play state, Pause state, Stop state, Reverse state and Forward state. In addition, when the icon 67 is touched by the user, the application can eject CD. Namely, when the the icons 62 to 66 are touched by the user, the application respectively outputs, e.g., HAVi messages defined as below to AVDISCFCM.

AVDISC:Play

AVDISC:Pause

AVDISC:Stop

AVDISC:Reverse

AVDISC:Forward

When AVDISCFCM receives such message from the Application, it respectively outputs AV/C commands of (Play, Pause, Stop, Reverse, Forward, Eject) through the internal bus 22, the IEEE 1394 interface 21 and the IEEE 1394 serial bus 1. The CD player 3 receives these AV/C commands to carry out predetermined processing, e.g., Play, Pause, Stop, Reverse, Forward and Eject.

Further, when an icon 72 is touched by user, the application allows GUI to switch into edit picture which will be described later. When an icon 73 is touched, the application closes GUI.

Returning to FIG. 6, in the case where it is judged at step S9 that TOC data in Attributes data stored within Attributes List and received TOC data do not coincide, i.e., in the case where it is judged that related information of that CD is not yet stored within the Attributes List, the processing procedure proceeds to step S11. The application allows display columns 68 to 70 of GUI shown in FIG. 7 to be blank to display attributes data Table.

The operation procedure that the user inputs the related information such as title, etc. after processing of step S10 or step S11 shown in FIG. 6 will now be described with reference to FIG. 9.

In the state where operation procedure for carrying out input operation of

related information by user is selected, there results the state where GUI shown in FIG. 7 is displayed on the LCD 29 at step S21 shown in FIG. 9 via the above-described procedure shown in FIG. 6.

Then, at step S22, the user judges whether or not the related information such as title, etc. is inputted. In the case where it is judged that the related information such as title, etc. is inputted, the user touches the icon 72 shown in FIG. 7, i.e., the editing icon 72 for the purpose of displaying editing picture.

When the editing icon 72 is operated, the processing procedure shifts to step S23. At the step S23, the Application serves to display, e.g., GUI as shown in FIG. 10. The GUI shown in this FIG. 10 is the editing picture in which the related information such as title, etc. is inputted.

It is to be noted that in the case where the editing icon 72 is not operated, display state of GUI shown in FIG. 7 is caused to be continued.

When GUI shown in FIG. 10 is displayed at the step S23, inputting of the related information such as title, etc. is carried out by the user at step S24. At this step S24, by using a keyboard displayed on the touch panel 28, user can input a title at an input column 91, input a title description at an input column 92, input an artist name at an input column 93, input a track title at an input column 94 and input a track description at an input column 95. Moreover, at an input column 96, image file which is picture image data, etc. is attached. As an acquisition method for picture image data, e.g., there is a method of down-loading picture image data that the record company,

etc. delivers from Web, or the like. In this example, the input column 91 is linked with the display column 68 (see FIGS. 7 and 8), the input column 93 is linked with the display column 69, and the input column 94 is linked with the display column 70. When, e.g., text data is inputted to the input the columns 91, 93, 94, such input data are displayed at the display the columns 68 to 70.

When the user inputs a title, etc. on the basis of GUI shown in FIG. 10 at step S24 shown in FIG. 9 and presses an icon 97 for confirmation shown in FIG. 10, i.e., establishment of input is carried out at step S25, the application transmits HAVi message defined as below, for example, to AVDISCFCM to make a request for setting of attributes data of the title, title description, artist name, track title, track description and image file in the attributes list.

AVDISC:set_Title

AVDISC:set_Title_Description

AVDISC:set_Artist

AVDISC:set_Track

AVDISC:set_Track_Description

AVDISC:set_Image

At step S26, the application stores the content of attributes data (related information) inputted at the step S24 into the Attributes List to complete processing.

When input establishment is not carried out at step S25 and cancel icon 98 shown in FIG. 10 is operated, GUI shown in FIG. 10 is caused to be editing picture for

permitting the input of related information such as title, etc. In this case, the state may return to the state for displaying GUI of step S21.

Moreover, in the case where it is judged at the step S22 that the title, etc. are not inputted, the operation procedure returns to the step S21 as described above to continue the display state of GUI shown in FIG. 7.

While the processing is started from the state where the controlled equipment is not selected at IRD 2 in the related information input processing shown in FIG. 6, there are instances where CD player 3 may be selected in advance as the controlled equipment. In this case, input processing of related information is carried out via procedure as shown in FIG. 11.

Namely, in the case where CD player 3 is selected in advance as the controlled equipment, when CD is loaded into the CD player 3 at step S31 as shown in FIG.11, Event Manager is informed that CD has been inserted at step S32. When the Event Manager receives response from the CD player 3, it notifies to Application at step S33 that CD has been inserted. Since the same procedure as that of the step S5 and steps subsequent thereto at subsequent times is taken, the detailed explanation is omitted.

The procedure of reproduction processing of music data recorded at predetermined recording tracks of CD will now be described with reference to the flowchart of FIG. 12.

In order to carry out reproduction of music data recorded on the CD, the CD is inserted into the CD player 3, and processing at the steps S1 to S10 shown in FIG. 6

proceeds to step S46. Thus, the application judges whether or not reproduction of different recording track is designated by user. As a result, in the case where it is judged that reproduction of different recording track is designated, the processing procedure returns to the step S42 to repeat the above-described processing subsequent thereto. On the other hand, in the case where it is judged that reproduction of different recording track is not designated, the processing is completed.

As described above, such an approach is employed to store user information such as title or description, etc. of CD inserted into the CD player 3 of the controlled side (BAV) as attributes data in attributes list of IRD2 of the control side (FAV), whereby even in the case where unrecordable reproduction only CD is employed, it is possible to carry out management on the basis of related information that user has added. Namely, the information processing apparatus of this invention is used, whereby user can listen to music of CD while looking at his favorite picture, and user reads out impression that he has previously experienced with respect to respective pieces of CD album, thereby making it possible to carry out program selection of only his favorite pieces to listen to them.

While explanation has been given by taking as example the case where a CD is reproduced in the above-described description, this invention can be applied to, e.g., a reproduction only DVD (Digital Versatile Disc), etc.

Furthermore, e.g., in the case where magneto-optical disc player using a magneto-optical disc of the recording/reproduction type as recording medium is

connected to the IEEE 1394 serial bus 1 disc to carry out, onto the magneto-optical disc, dubbing of data of CD inserted in the CD player 3, the magneto-optical disc player can carry out dubbing of stream data caused to flow from the CD player 3 and record attribute data (related information) caused to flow from IRD 2. Accordingly, user is not required to input title, etc. onto the magneto-optical disc for a second time.

A software for executing the above-described series of processing is installed from recording medium to computer in which program constituting its software is assembled into dedicated hardware, or, e.g., widely used personal computer, etc. which can execute various functions by installing various programs, etc.

This recording medium is constituted as shown in FIG. 2 not only by hard disc 30 on which there is recorded program offered to user in the state assembled into the IRD 2 in advance, but also by package media using magnetic disc 41 such as floppy disc, etc. on which program distributed for offering to user separately from the IRD 2 is recorded, a CD-ROM (Compact Disc-Read Only Memory), an optical disc 42 such as DVD, etc. a magneto-optical disc 43, or a semiconductor memory 44 which is solid-state memory, etc.

In addition, in this invention, steps for describing program recorded on the recording medium includes not only processing carried out in a time series manner along the described order, but also processing executed in parallel or individually even if such processing is not necessarily processed in a time series manner.

It is to be noted that, in this invention, the system represents the entirety of the

Industrial Applicability

As described above, this invention adopts such an approach to detect the identification data recorded on recording medium to input related information relating to the recording medium to store inputted related information in the identification data. Accordingly, even in the case where reproduction only recording medium is employed, it is possible to carry out management on the basis of user information such as a title or an artist name, etc.

CLAIMS

1. An information processing apparatus comprising:
 - detecting means for detecting identification data recorded on a recording medium;
 - input means for inputting related information relating to the recording medium;
 - memory means for storing the related information inputted by the input means in correspondence with the identification data; and
 - display control means for controlling display of the related information stored in the memory means.
2. The information processing apparatus as set forth in claim 1, further comprising a comparing section for comparing the identification data recorded on the recording medium with the related information inputted by the input means.
3. The information processing apparatus as set forth in claim 1, wherein the recording medium is a reproduction only recording medium.
4. The information processing apparatus as set forth in claim 1, wherein the detecting means detects the identification data through network.
5. The information processing apparatus as set forth in claim 1, wherein the identification data is TOC data.
6. An information processing method comprising:
 - a detection step of detecting identification data recorded on a recording medium;

a memory control step of conducting a control so as to store the related

a display control step of controlling display of the related information stored by processing of the memory control step.

a display control step of controlling display of the related information stored by processing of the memory control step.

8. The information processing method as set forth in claim 6, wherein the recording medium is a reproduction only recording medium.

8. The information processing method as set forth in claim 6, wherein the recording medium is a reproduction only recording medium.

10. The information processing method as set forth in claim 6, wherein the identification data is TOC data.

10. The information processing method as set forth in claim 6, wherein the identification data is TOC data.

a detection step of detecting identification data recorded on the recording medium;

a detection step of detecting identification data recorded on the recording medium;

an input step of inputting related information relating to the recording medium;

a memory control step of conducting a control so as to store the related information inputted by processing of the input step in correspondence with the identification data; and



a display control step of controlling display of the related information stored by processing of the memory control step.

TOP SECRET

	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

[illegible]

1/9

**FIG.1****FIG.2**




FIG.3

3/9




FIG.4




FIG.5

4/9




FIG.6




FIG. 7




FIG. 8

6/9




FIG.9

The figure shows a rectangular window containing a form. On the left side of the window, there are five labels: "Title", "Title Description", "Artist", "Track", and "Track Description". To the right of each label is a corresponding input field. The input fields for "Title", "Title Description", "Artist", and "Track" are of equal height. The input field for "Track Description" is taller than the others. To the right of these input fields is a large, empty rectangular area. At the bottom of the window, there are two buttons: "OK" and "Cancel".

Title 91

Title Description 92

Artist 93

Track 94

Track Description 95

OK 97

Cancel 98

96

FIG.10




FIG.11




FIG.12

Declaration and Power of Attorney for Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

私は、以下に記名された発明者として、ここに下記の通り宣言する：

As a below names inventor, I hereby declare that:

私の住所、郵便の宛先そして国籍は、私の氏名の後に記載された通りである。

My residence, post office address and citizenship are as stated next to my name:

下記の名称の発明について、特許請求範囲に記載され、且つ特許が求められている発明主題に関して、私は、最初、最先且つ唯一の発明者である（唯一の氏名が記載されている場合）か、或いは最初、最先且つ共同発明者である（複数の氏名が記載されている場合）と信じている。

I believe I am the original, first and sole inventor(if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.

INFORMATION PROCESSING APPARATUS, INFORMATION

PROCESSING METHOD AND RECORDING MEDIUM

the specification of which is attached hereto unless the following box is checked:

上記発明の明細書はここに添付されているが、下記の欄がチェックされている場合は、この限りでない：

☒ was filed on October 16, 2000 ✓
as United States Application Number of
PCT International Application Number PCT/JP00/07159 ✓
and was amended under PCT Article 19
on February 15, 2001 ✓ (if applicable).

☐ _____ の日に出版され、
この出版の米国出願番号またはPCT国際出願番号は、
_____ であり、且つ
_____ の日に補正された出版（該当する場合）

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

私は、上記の補正書によって補正された、特許請求範囲を含む上記明細書を検討し、且つ内容を理解していることをここに表明する。

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

私は、連邦規則法典第37編規則1.56に定義されている、特許性について重要な情報を開示する義務があることを認める。

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the need of the individual case. Any comments on the amount of time you are required to complete this form should be sent to Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner of Patents and Trademarks, Washington, DC 20231.

Japanese Language Declaration

日本語宣言書

私は、ここに、以下に記載した外国での特許出願または発明者証の出願、或いは米国以外の少なくとも一国を指定している米国法典第35編第365条(a)によるPCT国際出願について、同第119条(a)-(d)項又は第365条(b)項に基づいて優先権を主張するとともに、優先権を主張する本出願の出願日より前の出願日を有する外国での特許出願または発明者証の出願、或いはPCT国際出願については、いかなる出願も、下記の枠内をチェックすることにより示した。

Prior Foreign Application(s)

外国での先行出願

P11-293328 ✓
(Number)
(番号)

Japan ✓
(Country)
(国名)

PCT/JP00/07159 ✓
(Number)
(番号)

PCT ✓
(Country)
(国名)

(Number)
(番号)

(Country)
(国名)

(Number)
(番号)

(Country)
(国名)

(Number)
(番号)

(Country)
(国名)

(Number)
(番号)

(Country)
(国名)

私は、ここに、下記のいかなる米国仮特許出願についても、その米国法典第35編第119条(e)項の利益を主張する。

(Application No.)
(出願番号)

(Filing Date)
(出願日)

私は、ここに、下記のいかなる米国出願についても、その米国法典第35編第120条に基づく利益を主張し、又米国を指定するいかなるPCT国際出願についても、その同第365条(c)に基づく利益を主張する。また、本出願の各特許請求の範囲の主題が、米国法典第35編第112条第1段に規定された態様で、先行する米国出願又はPCT国際出願に開示されていない場合においては、その先行出願の出願日と本国内出願日またはPCT国際出願日との間の期間中に入手された情報で、連邦規則法典第37編規則1.56に定義された特許性に関わる重要な情報について開示義務があることを承認する。

(Application No.)
(出願番号)

(Filing Date)
(出願日)

私は、ここに表明された私自身の知識に係わる陳述が真実であり、且つ情報と信ずることに基づく陳述が、真実であると信じられることを宣言し、さらに、故意に虚偽の陳述などを行った場合は、米国法典第18編第1001条に基づき、罰金または拘禁、若しくはその両方により処罰され、またそのような故意による虚偽の陳述は、本出願またはそれに対して発行されるいかなる特許も、その有効性に問題が生ずることを理解した上で陳述が行われたことを、ここに宣言する。

I hereby claim foreign priority under Title 35, United States Code, Section 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT international application having a filing date before that of the application for which priority is claimed.

Priority Not Claimed

優先権主張なし

15 October 1999 ✓
(Day/Month/Year Filed)

☐

16 October 2000 ✓
(Day/Month/Year Filed)

☐

(Day/Month/Year Filed)

☐

(Day/Month/Year Filed)

☐

(Day/Month/Year Filed)

☐

(Day/Month/Year Filed)

☐

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any united States provisional application(s) listed below.

(Application No.)
(出願番号)

(Filing Date)
(出願日)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 365(c) of any PCT international application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of application.

(Status: Patented, Pending, Abandoned)
(現況: 特許許可、係属中、放棄)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Japanese Language Declaration

日本語宣言書

委任状： 私は本出願を審査する手続を行い、且つ米国特許商標庁との全ての業務を遂行するために、記名された発明者として、下記の弁護士及び/または弁理士を任命する。(氏名及び登録番号を記載すること)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact al business in the Patent and Trademark Office connected therewith (list name and registration number)

書類送付先

2- WILLIAM S. FROMMER, Registration No. 25,506 and
DENNIS M. SMID, Registration No. 34,930

Send Correspondence to:

WILLIAM S. FROMMER, Esq.
c/o FROMMER LAWRENCE & HAUG LLP
745 Fifth Avenue
New York, New York 10151

直通電話連絡先：(氏名及び電話番号)

Direct Telephone Calls to:

(212) 588-0800
to the attention of:
WILLIAM S. FROMMER

唯一または第一発明者氏名

Full name of sole or first inventor

発明者の署名

日付

1-00 Ikuro NAKAMURA
inventor's signature

Date

住所

Residence

国籍

Tokyo, Japan JPN
Citizenship

郵便の宛先

Japan
Post Office Address

c/o Sony Corporation, 7-35, Kitashinagawa 6-chome,
Shinagawa-ku, Tokyo 141-0001 Japan

第二共同発明者がいる場合、その氏名

full name of second joint inventor, if any

第二共同発明者の署名

日付

Second Inventor's signature

Date

住所

Residence

国籍

Citizenship

郵便の宛先

Post Office Address

(第三以下の共同発明者についても同様に記載し、署名をすること)

(Supply similar information and signature for third and subsequent joint inventors)